

prosthetic.line

CM Connect

exocad

Library guide for hybrid abutments, bridges, bars and prosthesis.

Use of CM+ Abutments Library in CAD dental systems.

CM+ Scan Abutments allow scans on implant level or abutment level. This depends on the type of connection and custom impression or intraoral scan.

The choice of the appropriate library connection depends also on the design of the prosthesis to be milled. CM+ Library allows restorations on CM+ Ti base, CM+ AURUM-Base® or restorations to be screwed direct on Straumann® synOcta® abutment, Nobel Biocare Multi-unit® abutment or ASTRA UniAbutment®.

Please note that in case of direct milling the connection is non-engaging only.

Depending on the CAD system, the library structure and connection names differ slightly from each other.

Exocad library for implant level scan and abutment level scan.

For this CAD system the library draws distinction between the following groups:

- CM (Connection name) Ti-base – for restorations connected with the implant via the Ti-base . The scanning needs to be performed with the Scan Body for the specific implant connection. Note: This group includes parts scanned from abutment level - Multi-Unit abutment, UniAbutment® and synOcta® abutment – with its specific Scan Abutment (marked almond in the table).
 - CM (Connection name) MULTI (or MU) - for restorations connected directly with Multi-Unit transepithelial abutment. The scanning needs to be performed with the Scan Body for the specific implant connection. The desired Multi-Unit abutment will be mounted virtually in the CAD System. Please note that in this case the closing line between the prosthesis and the transepithelial abutment depends on the proper kit selection (abutment height in mm).
 - CM (Connection name) MU-P (or MULTI PLUS) Ti-base – for restorations connected with the Multi-Unit transepithelial abutment via the Ti-base . The scanning needs to be performed with the Scan Body for the specific implant connection. The desired Multi-Unit abutment will be mounted virtually in the CAD System. Please note that in this case the closing line between the prosthesis and the transepithelial abutment depends on the proper kit selection (abutment height in mm).
 - CM AS UNIABT-P Ti-base – for restorations connected with the UniAbutment® via Ti-base. The scanning needs to be performed with the Scan Body for ASTRA TECH™ implant connection. The desired UniAbutment® will be mounted virtually in the CAD System. Please note that in this case the closing line between the prosthesis and the transepithelial abutment depends on the proper kit selection (abutment height in mm).
 - CM AS UNIABT – for restorations connected directly with the UniAbutment®. The scanning needs to be performed with the Scan Body for ASTRA TECH™ implant connection. The desired UniAbutment® will be mounted virtually in the CAD System. Please note that in this case the closing line between the prosthesis and the transepithelial abutment depends on the proper kit selection (abutment height in mm).
 - CM (Connection name) AURUMBase® – for restorations connected with the implant via the AURUMBase® (see Table 1.4). The scanning needs to be performed with the Scan Body for the specific implant connection. Note: This group includes parts scanned from abutment level – Multi-Unit abutment – with its specific Scan Abutment (marked almond colour in the table).
 - CM Pre-milled Ti – for restorations connected with the implant via the pre-milled abutment made in Titanium (see Table 1.6). The scanning needs to be performed with the Scan Body for the specific implant connection. Note: The maximum width of the piece is restricted to 10 mm.
 - CM Pre-milled CoCr – for restorations connected with the implant via the pre-milled abutment made in CoCr (see Table 1.7). The scanning needs to be performed with the Scan Body for the specific implant connection. Note: The maximum width of the piece is restricted to 14 mm.
- Take care to select the correct CM Scan Abutment and the corresponding library file, as otherwise the milled prosthesis can differ from desired outcome and errors can occur, for example the level of interface settlement.





Table 1.1
CM Connect + Ti-Base.

Name Library		Subtype	Implant Type	Analogue	Scan Abutments		
Active Hex Nobel Active®	CM - NB AC Ti-Base (Desktop or Intraoral or on Ti base)	●	3.0	41.14.068	41.52.068		
					41.53.100		
		⬡				41.52.068	
						41.52.200	
		●	NP/3.5	41.14.041	41.50.041 41.52.041		
					41.53.100		
		⬡				41.50.041 41.52.041	
						41.52.200	
		●	RP/4.3	41.14.042	41.50.042 41.52.042		
					41.53.100		
		⬡				41.50.042 41.52.042	
						41.52.200	
●	WP/5.5	41.14.069	41.52.069				
			41.53.100				
⬡				41.52.069			
				41.52.200			
Active Hex Nobel Replace Select™	CM - NB RP Ti-Base (Desktop or Intraoral or on Ti base)	●	NP/3.5	41.14.004	41.50.004 41.52.004		
					41.53.100		
		⬡				41.50.004 41.52.004	
						41.52.200	
		●	RP/4.3	41.14.005	41.50.005 41.52.005		
					41.53.100		
		⬡				41.50.005 41.52.005	
						41.52.200	
		●	WP/5.0	41.14.006	41.50.006 41.52.006		
					41.53.100		
		⬡				41.50.006 41.52.006	
						41.52.200	
●	6.0	41.14.097	41.52.097				
			41.53.100				
⬡				41.52.097			
				41.52.200			
External Hex universal Nobel Brånemark®	CM - NB BM Ti-Base (Desktop or Intraoral or on Ti base)	●	NP/3.5	41.14.001	41.50.001 41.52.001		
					41.53.100		
		⬡				41.50.001 41.52.001	
						41.52.200	
		●	RP/4.1	41.14.002	41.50.002 41.52.002		
					41.53.100		
		⬡				41.50.002 41.52.002	
						41.52.200	
		●	WP/5.0	41.14.003	41.50.003		
					41.52.003		
		⬡				41.50.003	
						41.52.003	

 non-engaging
 non-engaging
 Scan Abutment for desktop scanning **41.50.OXX**
 Scan Abutment for intra-oral scanning **41.52.OXX**
 Scan Abutment on Ti base **41.53.100 41.52.200**

Name Library		Subtype	Implant Type	Analogue	Scan Abutments	
External Hex USA 3i Osseotite®	CM - 3i OS Ti-Base (Desktop or Intraoral or on Ti base)		NP/3.4	41.14.011	41.50.011	41.52.011
					41.53.100	
			RP/4.1	41.14.012	41.50.011	41.52.011
					41.52.200	
			WP/5.0	41.14.013	41.50.012	41.52.012
					41.53.100	
			RP/4.1	41.14.012	41.50.012	41.52.012
					41.52.200	
			WP/5.0	41.14.013	41.50.013	41.52.013
41.53.100						
	RP/4.1	41.14.015	41.50.013	41.52.013		
			41.52.200			
Internal Hex «CLICK» 3i Certain®	CM - 3i CE Ti-Base (Desktop or Intraoral or on Ti base)		NP/3.4	41.14.014	41.50.014	41.52.014
					41.53.100	
			RP/4.1	41.14.015	41.50.014	41.52.014
					41.52.200	
			WP/5.0	41.14.016	41.50.015	41.52.015
					41.53.100	
			RP/4.1	41.14.015	41.50.015	41.52.015
					41.52.200	
			WP/5.0	41.14.016	41.50.016	41.52.016
41.53.100						
	RP/4.1	41.14.015	41.50.016	41.52.016		
			41.52.200			
Octagon Straumann® Soft Tissue Level synocta®	CM - STR S Ti-Base (Desktop or Intraoral or on Ti base)		NNC/3.5	41.14.070	41.52.069	
					41.53.100	
			RN/4.8	41.14.009	41.52.069	
					41.52.200	
			RN on synOCTA®	41.14.010	41.50.009	
					41.52.009	
			RN/4.8	41.14.009	41.50.009	
					41.52.009	
			RN on synOCTA®	41.14.010	41.50.010	
					41.52.010	
			WN/6.5	41.14.045	41.50.010	
					41.52.010	
			WN/6.5	41.14.045	41.50.010	
					41.52.010	
			WN on synOCTA®	41.14.046	41.50.045	
41.52.045						
	WN on synOCTA®	41.14.046	41.50.045			
			41.52.045			
	WN on synOCTA®	41.14.046	41.50.015			
			41.52.015			
	WN on synOCTA®	41.14.046	41.50.015			
			41.52.015			




















non-engaging

non-engaging

Scan Abutment for desktop scanning
41.50.0XX

Scan Abutment for intra-oral scanning
41.52.0XX











Scan Abutment on Ti base
41.53.100 41.52.200


Name Library	Subtype	Implant Type	Analogue	Scan Abutments		
Conical BL Straumann® Bone Level		NC/3.3	41.14.043	41.50.043	41.52.043	
				41.53.100		
					41.50.043	41.52.043
					41.52.200	
		RC/4.1	41.14.044		41.50.044	41.52.044
					41.53.100	
				41.50.044	41.52.044	
				41.52.200		
	SRA	41.14.098		41.52.098		
				41.52.098		
Internal Hex USA Zimmer Screw-Vent®		NP/3.5	41.14.017	41.50.017	41.52.017	
				41.53.100		
					41.50.017	41.52.017
					41.52.200	
		RP/4.5	41.14.018		41.50.018	41.52.018
					41.53.100	
				41.50.018	41.52.018	
				41.52.200		
	WP/5.7	41.14.019		41.50.019	41.52.019	
				41.53.100		
				41.50.019	41.52.019	
				41.52.200		
CONIC EVO Astra Tech™ Implant system™ EV		EV/3.6	41.14.059	41.50.059	41.52.059	
				41.53.100		
					41.50.059	41.52.059
					41.52.200	
		EV/4.2	41.14.060		41.50.060	41.52.060
					41.53.100	
					41.50.060	41.52.060
					41.52.200	
		EV/4.8	41.14.061		41.50.061	41.52.061
					41.53.100	
				41.50.061	41.52.061	
				41.52.200		
	Uniabutment®	41.14.058		41.50.058		
				41.52.058		
				41.50.058		
				41.52.058		


 non-engaging
  non-engaging
  Scan Abutment for desktop scanning **41.50.OXX**
  Scan Abutment for intra-oral scanning **41.52.OXX**
  Scan Abutment on Ti base **41.53.100 41.52.200**

Name Library	Subtype	Implant Type	Analogue	Scan Abutments	
Internal Hex CONIC Astra Tech OsseoSpeed™	●	NP/3.0	41.14.023	41.52.023	
				41.53.100	
	●	RP/3.5-4.0	41.14.024	41.50.024 41.52.024	
				41.53.100	
	●	WP/4.5-5.0	41.14.025	41.50.024 41.52.024	
				41.52.200	
	●	Uniabutment® 20°	41.14.036	41.50.025 41.52.025	
				41.53.100	
	●	Uniabutment® 45°	41.14.037	41.50.025 41.52.025	
				41.52.200	
Internal Hex FD Dentsply Friadent® XIVE®	●	NP/3.4	41.14.038	41.50.036 41.52.036	
				41.52.036	
	●	RP/3.8	41.14.039	41.50.037 41.52.037	
				41.52.037	
	●	WP/4.5	41.14.040	41.50.038 41.52.038	
				41.52.200	
	●	5.5	41.14.071	41.50.039 41.52.039	
				41.53.100	
	Internal ANK Dentsply Ankylos® C/X	●	All platforms, height GH 1,5	41.14.048 41.14.049	41.50.040 41.52.040
					41.53.100
●		All platforms, height GH 2,5	41.14.048 41.14.049	41.50.040 41.52.040	
				41.52.200	


 non-engaging
 non-engaging
 Scan Abutment for desktop scanning **41.50.0XX**
 Scan Abutment for intra-oral scanning **41.52.0XX**
 Scan Abutment on Ti base **41.53.100 41.52.200**


Name Library		Subtype	Implant Type	Analogue	Scan Abutments	
Osstem® TS	CM - OSS Ti-Base (Desktop or Intraoral or on Ti base)		Mini Yellow	41.14.072	41.50.072	41.52.072
						41.53.100
			STD Regular	41.14.073	41.50.072	41.52.072
						41.52.200
			3.3	41.14.064	41.50.073	41.52.073
						41.53.100
	3.8	41.14.065	41.50.073	41.52.073		
				41.52.200		
Camlog®	CM - CL Ti-Base (Desktop or Intraoral or on Ti base)		4.3	41.14.066	41.50.065	41.52.065
						41.53.100
			5.0	41.14.067	41.50.065	41.52.065
						41.52.200
			4.3	41.14.066	41.50.066	41.52.066
						41.53.100
	5.0	41.14.067	41.50.066	41.52.066		
				41.52.200		
	3.3	41.14.064	41.50.067	41.52.067		
				41.53.100		
	4.3	41.14.066	41.50.067	41.52.067		
				41.52.200		















 non-engaging

 non-engaging

 Scan Abutment
for desktop scanning
41.50.OXX


 Scan Abutment
for intra-oral scanning
41.52.OXX


 Scan Abutment
on Ti base
41.53.100 41.52.200

Name Library		Subtype	Implant Type	Analogue	Scan Abutments	
External Hex BH BioHorizons®	CM - BH EXT Ti-Base (Desktop or Intraoral or on Ti base)		NP/3.7	41.14.020	41.50.020	41.52.020
					41.53.100	
			RP/4.2	41.14.021	41.50.020	41.52.020
					41.52.200	
			WP/5.2	41.14.022	41.50.021	41.52.021
					41.52.200	
	WP/5.2	41.14.022	41.50.022	41.52.022		
			41.50.022	41.52.022		
Internal Hex USA MIS® Seven	CM - MIS SVN Ti-Base (Desktop or Intraoral or on Ti base)		NP/3.7	41.14.056	41.50.056	41.52.056
					41.53.100	
			SP/4.2	41.14.095	41.50.056	41.52.056
					41.52.200	
			WP/5.2	41.14.096	41.50.017	41.52.017
					41.53.100	
	WP/5.2	41.14.096	41.50.017	41.52.017		
			41.52.200			
	WP/5.2	41.14.096	41.50.018	41.52.018		
			41.53.100			
	WP/5.2	41.14.096	41.50.018	41.52.018		
			41.52.200			
Megagen AnyRidge®	CM - MG ANY Ti-Base (Desktop or Intraoral or on Ti base)			41.14.057	41.50.057	
					41.53.100	
					41.50.057	
				41.14.057	41.52.200	
Multi-Unit	CM - Multi Ti-Base (Desktop or Intraoral or on Ti base)		RP	41.14.007	41.50.007	
			41.15.007		41.52.007	
			WP	41.14.047	41.50.047	
			41.15.054		41.52.047	

 non-engaging

 non-engaging

 Scan Abutment
for desktop scanning
41.50.OXX

 Scan Abutment
for intra-oral scanning
41.52.OXX

 Scan Abutment
on Ti base
41.53.100 41.52.200



Table 1.2


CM Connect + Multi-Unit &
Uniabutment plus Ti-Base.

	Name Library	Subtype	Platform	Analogue	Scan Abutments
Multi-Unit on Nobel Active™	CM - NB AC MULTI (Desktop or Intraoral)	NP 41.15.007+41.40.007/1 (1,5mm)	NP	41.14.041	41.50.041
		NP 41.15.007+41.40.007/2 (2,5mm)			41.52.041
		NP 41.15.007+41.40.007/3 (3,5mm)			
		RP 41.15.007+41.40.008/1 (1,5mm)	RP	41.14.042	41.50.042
		RP 41.15.007+41.40.008/2 (2,5mm)			41.52.042
		RP 41.15.007+41.40.008/3 (3,5mm)			
RP 41.15.007+41.40.008/4 (4,5mm)					
Multi-Unit on Nobel Replace®	CM - NB RP MULTI (Desktop or Intraoral)	NP 41.15.007+41.40.004/1 (1mm)	NP	41.14.004	41.50.004
		NP 41.15.007+41.40.004/2 (2mm)			41.52.004
		NP 41.15.007+41.40.004/3 (3mm)			
		RP 41.15.007+41.40.005/2 (2mm)	RP	41.14.005	41.50.005
		RP 41.15.007+41.40.005/3 (3mm)			41.52.005
		RP 41.15.007+41.40.005/4 (4mm)			
		RP 41.15.007+41.40.005/5 (5mm)			
		WP 41.15.054+41.40.006/1 (1mm)	WP	41.14.063	41.50.006
WP 41.15.054+41.40.006/2 (2mm)	41.52.006				
WP 41.15.054+41.40.006/3 (3mm)					
Multi-Unit on Brånemark System®	CM - NB BM MULTI (Desktop or Intraoral)	NP 41.15.007+41.40.001/1 (1mm)	NP	41.14.001	41.50.001
		NP 41.15.007+41.40.001/2 (2mm)			41.52.001
		NP 41.15.007+41.40.001/3 (3mm)			
		RP 41.15.007+41.40.002/2 (2mm)	RP	41.14.002	41.50.002
		RP 41.15.007+41.40.002/3 (3mm)			41.52.002
		RP 41.15.007+41.40.002/4 (4mm)			
		RP 41.15.007+41.40.002/5 (5mm)			
		WP 41.15.054+41.40.003/1 (1mm)	WP	41.14.003	41.50.003
WP 41.15.054+41.40.003/2 (2mm)	41.52.003				
WP 41.15.054+41.40.003/3 (3mm)					
Multi-Unit on 3i Osseotite®	CM - 3i OS MULTI (Desktop or Intraoral)	NP 41.15.007+41.40.009/1 (1mm)	NP	41.14.011	41.50.011
		NP 41.15.007+41.40.009/2 (2mm)			41.52.011
		NP 41.15.007+41.40.009/3 (3mm)			
Multi-Unit on Bone Level™	CM - STR BL MULTI (Desktop or Intraoral)	NP 41.15.007+41.40.043/1 (1,5mm)	NP	41.14.043	41.50.043
		NP 41.15.007+41.40.043/2 (2,5mm)			41.52.043
		NP 41.15.007+41.40.043/3 (3,5mm)			
		RP 41.15.007+41.40.044/1 (1,5mm)	RP	41.14.044	41.50.044
		RP 41.15.007+41.40.044/2 (2,5mm)			41.52.044
		RP 41.15.007+41.40.044/3 (3,5mm)			
RP 41.15.007+41.40.044/4 (4,5mm)					
Multi-Unit on Zimmer Screw-Vent®	CM - ZI SCV MULTI (Desktop or Intraoral)	NP 41.15.007+41.40.019/1 (1mm)	NP	41.14.017	41.50.017
		NP 41.15.007+41.40.019/2 (2mm)			41.52.017
		NP 41.15.007+41.40.019/3 (3mm)			
		NP 41.15.007+41.40.019/4 (4mm)	RP	41.14.018	41.50.018
		RP 41.15.007+41.40.020/1 (1mm)			41.52.018
		RP 41.15.007+41.40.020/2 (2mm)			
		RP 41.15.007+41.40.020/3 (3mm)			

 non-engaging

 non-engaging

 Scan Abutment
for desktop scanning
41.50.OXX

 Scan Abutment
for intra-oral scanning
41.52.OXX

Name Library	Subtype	Platform	Analogue	Scan Abutments		
Uniabutment® on Astra Tech™ Implant System™ EV	CM - AS EV MULTI (Desktop or Intraoral)	RP Uniabutment®	41.14.059	EV3.6 41.15.058+41.40.059/1 (1mm)	41.50.059	
				EV3.6 41.15.058+41.40.059/2 (2mm)	41.52.059	
				EV3.6 41.15.058+41.40.059/3 (3mm)		
				EV3.6 41.15.058+41.40.059/5 (5mm)		
	CM - AS EV MULTI (Desktop or Intraoral)	EV 4.2 Uniabutment®	41.14.060	EV4.2 41.15.058+41.40.060/1 (1mm)	41.50.060	
				EV4.2 41.15.058+41.40.060/2 (2mm)	41.52.060	
				EV4.2 41.15.058+41.40.060/3 (3mm)		
	CM - AS EV MULTI (Desktop or Intraoral)	EV 4.8 Uniabutment®	41.14.061	EV4.8 41.15.058+41.40.061/1 (1mm)	41.50.061	
				EV4.8 41.15.058+41.40.061/2 (2mm)	41.52.061	
				EV4.8 41.15.058+41.40.061/3 (3mm)		
				EV4.8 41.15.058+41.40.061/5 (5mm)		
	Uniabutment® on Astra Tech™ Osseospeed®	CM - AS MULTI (Desktop or Intraoral)	RP Uniabutment® 20°	41.14.024	RP 20 41.15.036+41.40.013/0 (0,5mm)	41.50.024
RP 20 41.15.036+41.40.013/1 (1mm)					41.52.024	
RP 20 41.15.036+41.40.013/2 (2mm)						
RP 20 41.15.036+41.40.013/4 (4mm)						
CM - AS MULTI (Desktop or Intraoral)		WP Uniabutment® 20°	41.14.025	WP 20 41.15.036+41.40.015/0 (0,5mm)	41.50.025	
				WP 20 41.15.036+41.40.015/1 (1mm)	41.52.025	
				WP 20 41.15.036+41.40.015/2 (2mm)		
				WP 20 41.15.036+41.40.015/4 (4mm)		
CM - AS MULTI (Desktop or Intraoral)		RP Uniabutment® 45°	41.14.024	WP 20 41.15.036+41.40.015/6 (6mm)	41.50.024	
				RP 45 41.15.037+41.40.014/0 (0,5mm)		
				RP 45 41.15.037+41.40.014/1 (1mm)		41.52.024
				RP 45 41.15.037+41.40.014/2 (2mm)		
RP 45 41.15.037+41.40.014/4 (4mm)						
CM - AS MULTI (Desktop or Intraoral)		WP Uniabutment® 45°	41.14.025	RP 45 41.15.037+41.40.014/6 (6mm)	41.50.025	
				WP 45 41.15.037+41.40.016/0 (0,5mm)		
				WP 45 41.15.037+41.40.016/1 (1mm)		41.52.025
				WP 45 41.15.037+41.40.016/2 (2mm)		
				WP 45 41.15.037+41.40.016/4 (4mm)		
				WP 45 41.15.037+41.40.016/6 (6mm)		



non-engaging



non-engaging



Scan Abutment for desktop scanning
41.50.OXX



Scan Abutment for intra-oral scanning
41.52.OXX



Table 1.3

CM Connect + Multi-Unit & Uniabutment direct



	Name Library	Subtype	Platform	Analogue	Scan Abutments		
Multi-Unit on Nobel Active™	CM - NB AC MULTI (Desktop or Intraoral)	NP 41.40.007/1 (1,5mm)	NP	41.14.041	41.50.041		
		NP 41.40.007/2 (2,5mm)			41.52.041		
		NP 41.40.007/3 (3,5mm)					
				RP 41.40.008/1 (1,5mm)	RP	41.14.042	41.50.042
				RP 41.40.008/2 (2,5mm)			41.52.042
				RP 41.40.008/3 (3,5mm)			
				RP 41.40.008/4 (4,5mm)			
Multi-Unit on Nobel Replace®	CM - NB RP MULTI (Desktop or Intraoral)	NP 41.40.004/1 (1mm)	NP	41.14.004	41.50.004		
		NP 41.40.004/2 (2mm)			41.52.004		
		NP 41.40.004/3 (3mm)					
				RP 41.40.005/2 (2mm)	RP	41.14.005	41.50.005
				RP 41.40.005/3 (3mm)			41.52.005
				RP 41.40.005/4 (4mm)			
				RP 41.40.005/5 (5mm)			
				WP 41.40.006/1 (1mm)	WP	41.14.0063	41.50.006
				WP 41.40.006/2 (2mm)			41.52.006
		WP 41.40.006/3 (3mm)					
Multi-Unit on Brånemark System®	CM - NB BM MULTI (Desktop or Intraoral)	NP 41.40.001/1 (1mm)	NP	41.14.001	41.50.001		
		NP 41.40.001/2 (2mm)			41.52.001		
		NP 41.40.001/3 (3mm)					
				RP 41.40.002/2 (2mm)	RP	41.14.002	41.50.002
				RP 41.40.002/3 (3mm)			41.52.002
				RP 41.40.002/4 (4mm)			
				RP 41.40.002/5 (5mm)			
				WP 41.40.003/1 (1mm)	WP	41.14.003	41.50.003
				WP 41.40.003/2 (2mm)			41.52.003
		WP 41.40.003/3 (3mm)					
Multi-Unit on 3i Osseotite®	CM - 3i OS MULTI (Desktop or Intraoral)	NP 41.40.009/1 (1mm)	NP	41.14.011	41.50.011		
		NP 41.40.009/2 (2mm)			41.52.011		
		NP 41.40.009/3 (3mm)					
Multi-Unit on Bone Level™	CM - STR BL MULTI (Desktop or Intraoral)	NP 41.40.043/1 (1,5mm)	NP	41.14.043	41.50.043		
		NP 41.40.043/2 (2,5mm)			41.52.043		
		NP 41.40.043/3 (3,5mm)					
				RP 41.40.044/1 (1,5mm)	RP	41.14.044	41.50.044
				RP 41.40.044/2 (2,5mm)			41.52.044
				RP 41.40.044/3 (3,5mm)			
				RP 41.40.044/4 (4,5mm)			
Multi-Unit on Zimmer Screw-Vent®	CM - ZI SCV MULTI (Desktop or Intraoral)	NP 41.40.019/1 (1mm)	NP	41.14.017	41.50.017		
		NP 41.40.019/2 (2mm)			41.52.017		
		NP 41.40.019/3 (3mm)					
		NP 41.40.019/4 (4mm)					
				RP 41.40.020/1 (1mm)	RP	41.14.018	41.50.018
				RP 41.40.020/2 (2mm)			41.52.018
				RP 41.40.020/3 (3mm)			



non-engaging



non-engaging



Scan Abutment
for desktop scanning
41.50.0XX



Scan Abutment
for intra-oral scanning
41.52.0XX

	Name Library	Subtype	Platform	Analogue	Scan Abutments
Uniabutment® on Astra Tech™ Implant System™ EV	CM - AS EV MULTI (Desktop or Intraoral)	EV3.6 41.40.059/1 (1mm)	RP Uniabutment®	41.14.059	41.50.059
		EV3.6 41.40.059/2 (2mm)			41.52.059
		EV3.6 41.40.059/3 (3mm)			
		EV3.6 41.40.059/5 (5mm)			
		EV4.2 41.40.060/1 (1mm)	EV 4.2 Uniabutment®	41.14.060	41.50.060
		EV4.2 41.40.060/2 (2mm)			41.52.060
		EV4.2 41.40.060/3 (3mm)			
		EV4.8 41.40.061/1 (1mm)	EV 4.8 Uniabutment®	41.14.061	41.50.061
		EV4.8 41.40.061/2 (2mm)			41.52.061
		EV4.8 41.40.061/3 (3mm)			
		EV4.8 41.40.061/5 (5mm)			
		Uniabutment® on Astra Tech™ Osseospeed®	CM - AS MULTI (Desktop or Intraoral)	RP 20 41.40.013/0 (0,5mm)	RP Uniabutment® 20°
RP 20 41.40.013/1 (1mm)	41.52.024				
RP 20 41.40.013/2 (2mm)					
RP 20 41.40.013/4 (4mm)					
RP 20 41.40.013/6 (6mm)					
WP 20 41.40.015/0 (0,5mm)	WP Uniabutment® 20°			41.14.025	41.50.025
WP 20 41.40.015/1 (1mm)					41.52.025
WP 20 41.40.015/2 (2mm)					
WP 20 41.40.015/4 (4mm)					
WP 20 41.40.015/6 (6mm)					
RP 45 41.40.014/0 (0,5mm)	RP Uniabutment® 45°			41.14.024	41.50.024
RP 45 41.40.014/1 (1mm)					41.52.024
RP 45 41.40.014/2 (2mm)					
RP 45 41.40.014/4 (4mm)					
RP 45 41.40.014/6 (6mm)					
WP 45 41.40.016/0 (0,5mm)	WP Uniabutment® 45°			41.14.025	41.50.025
WP 45 41.40.016/1 (1mm)		41.52.025			
WP 45 41.40.016/2 (2mm)					
WP 45 41.40.016/4 (4mm)					
WP 45 41.40.016/6 (6mm)					

 non-engaging

 non-engaging

 Scan Abutment for desktop scanning
41.50.OXX


 Scan Abutment for intra-oral scanning
41.52.OXX



Table 1.4
CM Connect + AURUMBase[®]





















	Name Library	Subtype	Platform	Analogue	Scan Abutments
Active Hex	CM - NB AC AURUM BASE (Desktop or Intraoral or on Ti base)		NP	41.14.041	41.50.041 41.52.041 41.53.100
					41.50.041 41.52.041 41.52.200
Nobel Active®	(Desktop or Intraoral or on Ti base)		RP	41.14.042	41.50.042 41.52.042 41.53.100
					41.50.042 41.52.042 41.52.200
Active Hex	CM - NB RP AURUM BASE (Desktop or Intraoral or on Ti base)		NP	41.14.004	41.50.004 41.52.004 41.53.100
					41.50.004 41.52.004 41.52.200
Nobel Replace Select™	(Desktop or Intraoral or on Ti base)		RP	41.14.005	41.50.005 41.52.005 41.53.100
					41.50.005 41.52.005 41.52.200
			WP	41.14.006	41.50.006 41.52.006 41.53.100
					41.50.006 41.52.006 41.52.200
External Hex universal	CM - NB BM AURUM BASE (Desktop or Intraoral or on Ti base)		NP	41.14.001	41.50.001 41.52.001 41.53.100
					41.50.001 41.52.001 41.52.200
Nobel Brånemark®	(Desktop or Intraoral or on Ti base)		RP	41.14.002	41.50.002 41.52.002 41.53.100
					41.50.002 41.52.002 41.52.200
			WP	41.14.003	41.50.003 41.52.003
					41.50.003 41.52.003
External Hex USA	CM - 3i OS AURUM BASE (Desktop or Intraoral or on Ti base)		NP/3.4	41.14.011	41.50.011 41.52.011 41.53.100
					41.50.011 41.52.011 41.52.200
3i Osseotite®	(Desktop or Intraoral or on Ti base)		RP/4.1	41.14.012	41.50.012 41.52.012 41.53.100
					41.50.012 41.52.012 41.52.200
			WP/5.0	41.14.013	41.50.013 41.52.013 41.53.100
					41.50.013 41.52.013 41.52.200


non-engaging

non-engaging

Scan Abutment
for desktop scanning
41.50.0XX


Scan Abutment
for intra-oral scanning
41.52.0XX

















	Name Library	Subtype	Platform	Analogue	Scan Abutments		
Internal Hex «CLICK» 3i Certain®	CM - 3i CE AURUM BASE (Desktop or Intraoral or on Ti base)		NP/3.4	41.14.014	41.50.014 41.52.014 41.53.100		
						41.50.014 41.52.014 41.52.200	
			RP/4.1	41.14.015		41.50.015 41.52.015 41.53.100	
						41.50.015 41.52.015 41.52.200	
			WP/5.0	41.14.016		41.50.016 41.52.016 41.53.100	
						41.50.016 41.52.016 41.52.200	
Octagon Straumann® Soft Tissue Level synocta®	CM - STR S AURUM BASE (Desktop or Intraoral or on Ti base)		RN/4.8	41.14.009		41.50.009 41.52.009 41.53.100	
						41.50.009 41.52.009 41.52.200	
			WN/6.5	41.14.045		41.50.045 41.52.045 41.53.100	
						41.50.045 41.52.045 41.52.200	
		Conical BL Straumann® Bone Level	CM- STR BL AURUM BASE (Desktop or Intraoral or on Ti base)			NC/3.3	41.14.043
							
	RC/4.1			41.14.044		41.50.044 41.52.044 41.53.100	
						41.50.044 41.52.044 41.52.200	
Internal Hex USA Zimmer Screw-Vent®	CM - ZI SCV AURUM BASE (Desktop or Intraoral or on Ti base)					NP/3.5	41.14.017
							
			RP/4.5	41.14.018		41.50.018 41.52.018 41.53.100	
						41.50.018 41.52.018 41.52.200	
			WP/5.7	41.14.019		41.50.019 41.52.019 41.53.100	
						41.50.019 41.52.019 41.52.200	

 non-engaging

 non-engaging

 Scan Abutment
for desktop scanning
41.50.OXX

 Scan Abutment
for intra-oral scanning
41.52.OXX

	Name Library	Type	Platform	Analogue	Scan Abutments		
CONIC EVO Astra Tech™ Implant system™ EV	CM - AS EV Ti-Base AURUM BASE (Desktop or Intraoral or on Ti base)		EV/3.6	41.14.059	41.50.059 41.52.059 41.53.100		
					41.50.059 41.52.059 41.52.200		
			EV/4.2	41.14.060	41.50.060 41.52.060 41.53.100		
					41.50.060 41.52.060 41.52.200		
			EV/4.8	41.14.061	41.50.061 41.52.061 41.53.100		
					41.50.061 41.52.061 41.52.200		
Internal Hex CONIC Astra Tech OsseoSpeed™	CM - AS AURUM BASE (Desktop or Intraoral or on Ti base)		RP	41.14.024	41.50.024 41.52.024 41.53.100		
					41.50.024 41.52.024 41.52.200		
			WP	41.14.025	41.50.025 41.52.025 41.53.100		
					41.50.025 41.52.025 41.52.200		
		Internal Hex FD Dentsply Friadent® XIVE®	CM - DS XV AURUM BASE (Desktop or Intraoral or on Ti base)		NP	41.14.038	41.50.038 41.52.038 41.53.100
							41.50.038 41.52.038 41.52.200
	RP			41.14.039	41.50.039 41.52.039 41.53.100		
					41.50.039 41.52.039 41.52.200		
	WP			41.14.040	41.50.040 41.52.040 41.53.100		
					41.50.040 41.52.040 41.52.200		

 non-engaging
  non-engaging
  Scan Abutment for desktop scanning **41.50.OXX**
  Scan Abutment for intra-oral scanning **41.52.OXX**
  Scan Abutment on Ti base **41.53.100 41.52.200**

	Name Library	Type	Platform	Analogue	Scan Abutments	
Camlog®	CM - CL AURUM BASE (Desktop or Intraoral or on Ti base)	●	3.8	14.065	50.065	52.065
		●			53.100	
		●	4.3	14.066	50.066	52.066
		●			53.100	
					50.066	52.066
					53.200	
Internal Hex USA Mis® Seven	CM - MIS SVN AURUM BASE (Desktop or Intraoral or on Ti base)	●	SP	14.095	50.017	52.017
		●			53.100	
		●	WP	14.096	50.017	52.017
		●			53.100	
					50.018	52.018
					53.200	
Multi-Unit	CM - Multi AURUM BASE (Desktop or Intraoral or on Ti base)	●	RP	14.007	50.007	52.007
		●	WP	14.047	50.047	52.047

● non-engaging

● non-engaging

Scan Abutment
for desktop scanning
41.50.0XX

Scan Abutment
for intra-oral scanning
41.52.0XX

Scan Abutment
on Ti base
41.53.100 41.52.200





Table 1.5
CM Connect + scan on Uniabutment &
Multi-Unit & Synocta

	<i>Category</i>	<i>Type</i>	<i>Platform</i>	<i>Analogue</i>	<i>Scan Abutments</i>
Uniabutment® on Astra Tech™ Osseospeed™	CM UNIABUTMENT DIRECT (Uniabutment Scan Abutment)	●	Uniabutment® 20°	41.14.036	41.50.036 41.52.036
	CM UNIABUTMENT DIRECT (Uniabutment Scan Abutment)	●	Uniabutment® 45°	41.14.037	41.50.037 41.52.037
Astra Tech™ Implant System™ EV	CM UNIABUTMENT DIRECT (Uniabutment Scan Abutment)	●	Uniabutment®	41.14.058	41.50.058 41.52.058
Multi-Unit	CM MULTIUNIT DIRECT (Multi-Unit Scan Abutment)	●	RP	41.14.007	41.50.036 41.52.036
	CM MULTIUNIT DIRECT (Multi-Unit Scan Abutment)	●	WP	41.14.047	41.50.037 41.52.037
Straumann® Soft Tissue level witch synOcta® Abutment	CM STR SYN DIRECT (Bars and bridges)	●	RN on synOcta®	41.14.010	41.50.010 41.52.010
	CM STR SYN DIRECT (Bars and bridges)	●	WN on synOcta®	41.14.046	41.50.046 41.52.037

● non-engaging

● non-engaging


Scan Abutment
for desktop scanning
41.50.OXX


Scan Abutment
for intra-oral scanning
41.52.OXX




Table 1.6
CM Connect + Pre-milled Abutment Ti

	Name Library	Implant Type	Analogue	Scan Abutments
Active Hex Nobel Active®	CM - NB AC Pre-milled Ti (Desktop or Intraoral)	3.0	41.14.068	41.52.068 41.53.100
		NP	41.14.041	41.50.041 41.52.041 41.53.100
		RP	41.14.042	41.50.042 41.52.042 41.53.100
		WP	41.14.069	41.52.069 41.53.100
Active Hex Nobel Replace Select™	CM - NB RP Pre-milled Ti (Desktop or Intraoral)	NP	41.14.004	41.50.004 41.52.004 41.53.100
		RP	41.14.005	41.50.005 41.52.005 41.53.100
		WP	41.14.006	41.50.006 41.52.006 41.53.100
		6.0	41.14.097	41.52.097 41.53.100
External Hex universal Nobel Brånemark®	CM - NB BM Pre-milled Ti (Desktop or Intraoral)	NP	41.14.001	41.50.001 41.52.001 41.53.100
		RP	41.14.002	41.50.002 41.52.002 41.53.100
		WP	41.14.003	41.50.003 41.52.003
External Hex USA 3i Osseotite®	CM - 3i OS Pre-milled Ti (Desktop or Intraoral)	NP	41.14.011	41.50.011 41.52.011 41.53.100
		RP	41.14.012	41.50.012 41.52.012 41.53.100
		WP	41.14.013	41.50.013 41.52.013 41.53.100
Internal Hex «CLICK» 3i Certain®	CM - 3i CE Pre-milled Ti (Desktop or Intraoral)	NP	41.14.014	41.50.014 41.52.014 41.53.100
		RP	41.14.015	41.50.015 41.52.015 41.53.100
		WP	41.14.016	41.50.016 41.52.016 41.53.100
Octagon Straumann® Soft Tissue Level synocta®	CM - STR S Pre-milled Ti (Desktop or Intraoral)	NNC	41.14.070	41.52.069 41.53.100
		RN	41.14.009	41.50.009 41.52.009
		WN	41.14.045	41.50.045 41.52.045

 non-engaging


 non-engaging


 Scan Abutment
for desktop scanning
41.50.OXX

 Scan Abutment
for intra-oral scanning
41.52.OXX

 Scan Abutment
on Ti base
41.53.100 41.52.200

	Name Library	Implant Type	Analogue	Scan Abutments	
Conical BL Straumann® Bone Level	CM - STR BL Pre-milled Ti (Desktop or Intraoral)	NC	41.14.043	41.50.043	41.52.043
				41.53.100	
		RC	41.14.044	41.50.044	41.52.044
				41.53.100	
Internal Hex USA Zimmer Screw-Vent®	CM - ZI SCV Pre-milled Ti (Desktop or Intraoral)	NP	41.14.017	41.50.017	41.52.017
				41.53.100	
		RP	41.14.018	41.50.018	41.52.018
				41.53.100	
		WP	41.14.019	41.50.019	41.52.019
				41.53.100	
CONIC EVO Astra Tech™ Implant system EV	CM - AS EV Pre-milled Ti (Desktop or Intraoral)	EV/3.6	41.14.059	41.50.059	41.52.059
				41.53.100	
		EV/4.2	41.14.060	41.50.060	41.52.060
				41.53.100	
		EV/4.8	41.14.061	41.50.061	41.52.061
				41.53.100	
Internal Hex CONIC Astra Tech™ implant OsseoSpeed™	CM - AS OS Pre-milled Ti (Desktop or Intraoral)	RP	41.14.024	41.50.024	41.52.024
				41.53.100	
		WP	41.14.025	41.50.025	41.52.025
				41.53.100	
Internal Hex FD Dentsply Friadent® XIVE®	CM - XV Pre-milled Ti (Desktop or Intraoral)	NP	41.14.038	41.50.038	41.52.038
				41.53.100	
		RP	41.14.039	41.50.039	41.52.039
				41.53.100	
		WP	41.14.040	41.50.040	41.52.040
				41.53.100	
Internal ANK Dentsply Ankylos® C/X	CM - ANK Pre-milled Ti (Desktop or Intraoral)	All platforms, height GH 2,5	41.14.048	41.50.049	41.52.049
			41.14.049		41.53.100
Osstem® TS	CM - OS Pre-milled Ti (Desktop or Intraoral)	Mini Yellow	41.14.072	41.50.072	41.52.072
				41.53.100	
		STD Regular	41.14.073	41.50.073	41.52.073
				41.53.100	

 non-engaging


 non-engaging


 Scan Abutment for desktop scanning
41.50.OXX

 Scan Abutment for intra-oral scanning
41.52.OXX

 Scan Abutment on Ti base
41.53.100 41.52.200

	Name Library	Implant Type	Analogue	Scan Abutments
Camlog®	CM - CL Pre-milled Ti (Desktop or Intraoral)	3.3	41.14.064	41.52.064 41.53.100
		3.8	41.14.065	41.50.065 41.52.065 41.53.100
		4.3	41.14.066	41.50.066 41.52.066 41.53.100
		5.0	41.14.067	41.52.067 41.53.100
External Hex BH	CM - BH EXT Pre-milled Ti (Desktop or Intraoral)	RP/4.2	41.14.021	41.50.021 41.52.021 41.53.100
BioHorizons®		WP/5.2	41.14.022	41.50.022 41.52.022
Internal Hex USA	CM - MIS SVN Pre-milled Ti (Desktop or Intraoral)	SP	41.14.095	41.50.017 41.52.017 41.53.100
MIS® Seven		WP	41.14.096	41.50.018 41.52.018 41.53.100
Megagen AntyRidge®	CM - MG Pre-milled Ti (Desktop or Intraoral)		41.14.057	41.50.057 41.53.100
Dentium Superline™ & Implantium	CM - DT Pre-milled Ti (Desktop or Intraoral)	RP	41.14.090	41.52.090 41.53.100

 non-engaging

 non-engaging

 Scan Abutment
for desktop scanning
41.50.OXX

 Scan Abutment
for intra-oral scanning
41.52.OXX


 Scan Abutment
on Ti base
41.53.100 41.52.200



Table 1.7

CM Connect + Pre-milled Abutment CoCr



	<i>Name Library</i>	<i>Implant Type</i>	<i>Analogue</i>	<i>Scan Abutments</i>
Active Hex Nobel Active®	CM - NB AC Pre-milled CoCr (Desktop or Intraoral)	3.0	41.14.068	41.52.068 41.53.100
		NP	41.14.041	41.50.041 41.52.041 41.53.100
		RP	41.14.042	41.50.042 41.52.042 41.53.100
		WP	41.14.069	41.52.069 41.53.100
Active Hex Nobel Replace Select™	CM - NB RP Pre-milled CoCr (Desktop or Intraoral)	NP	41.14.004	41.50.004 41.52.004 41.53.100
		RP	41.14.005	41.50.005 41.52.005 41.53.100
		WP	41.14.006	41.50.006 41.52.006 41.53.100
		6.0	41.14.097	41.52.097 41.53.100
External Hex universal Nobel Brånemark®	CM - NB BM Pre-milled CoCr (Desktop or Intraoral)	NP	41.14.001	41.50.001 41.52.001 41.53.100
		RP	41.14.002	41.50.002 41.52.002 41.53.100
		WP	41.14.003	41.50.003 41.52.003
External Hex USA 3i Osseotite®	CM - 3i OS Pre-milled CoCr (Desktop or Intraoral)	NP	41.14.011	41.50.011 41.52.011 41.53.100
		RP	41.14.012	41.50.012 41.52.012 41.53.100
		WP	41.14.013	41.50.013 41.52.013 41.53.100
Internal Hex «CLICK» 3i Certain®	CM - 3i CE Pre-milled CoCr (Desktop or Intraoral)	NP	41.14.014	41.50.014 41.52.014 41.53.100
		RP	41.14.015	41.50.015 41.52.015 41.53.100
		WP	41.14.016	41.50.016 41.52.016 41.53.100
Octagon Straumann® Soft Tissue Level synocta®	CM - STR S Pre-milled CoCr (Desktop or Intraoral)	RN	41.14.009	41.50.009 41.52.009
		WN	41.14.045	41.50.045 41.52.045



non-engaging



non-engaging



Scan Abutment
for desktop scanning
41.50.OXX



Scan Abutment
for intra-oral scanning
41.52.OXX




Scan Abutment
on Ti base
41.53.100 41.52.200

	Name Library	Implant Type	Analogue	Scan Abutments	
Conical BL Straumann® Bone Level	CM - STR BL Pre-milled CoCr (Desktop or Intraoral)	NC	41.14.043	41.50.043	41.52.043 41.53.100
		RC	41.14.044	41.50.044	41.52.044 41.53.100
Internal Hex USA Zimmer Screw-Vent®	CM - ZI SCV Pre-milled CoCr (Desktop or Intraoral)	NP	41.14.017	41.50.017	41.52.017 41.53.100
		RP	41.14.018	41.50.018	41.52.018 41.53.100
		WP	41.14.019	41.50.019	41.52.019 41.53.100
CONIC EVO Astra Tech™ Implant system EV	CM - AS EV Pre-milled CoCr (Desktop or Intraoral)	EV/3.6	41.14.059	41.50.059	41.52.059 41.53.100
		EV/4.2	41.14.060	41.50.060	41.52.060 41.53.100
		EV/4.8	41.14.061	41.50.061	41.52.061 41.53.100
Astra Tech™ implant Osseospeed™	CM - AS OS Pre-milled CoCr (Desktop or Intraoral)	RP	41.14.024	41.50.024	41.52.024 41.53.100
		WP	41.14.025	41.50.025	41.52.025 41.53.100
Internal Hex FD Dentsply Friadent® XIVE®	CM - XV Pre-milled CoCr (Desktop or Intraoral)	NP	41.14.038	41.50.038	41.52.038 41.53.100
		RP	41.14.039	41.50.039	41.52.039 41.53.100
		WP	41.14.040	41.50.040	41.52.040 41.53.100
Internal ANK Dentsply Ankylos® C/X	CM - ANK Pre-milled CoCr (Desktop or Intraoral)	All platforms, height GH 2,5	41.14.048 41.14.049	41.50.049	41.52.049 41.53.100
Osstem® TS	CM - OS Pre-milled CoCr (Desktop or Intraoral)	Mini Yellow	41.14.072	41.50.072	41.52.072 41.53.100
		STD Regular	41.14.073	41.50.073	41.52.073 41.53.100

 non-engaging


 non-engaging


 Scan Abutment
for desktop scanning
41.50.OXX

 Scan Abutment
for intra-oral scanning
41.52.OXX

 Scan Abutment
on Ti base
41.53.100 41.52.200

	Name Library	Implant Type	Analogue	Scan Abutments
Camlog®	CM - CL Pre-milled CoCr (Desktop or Intraoral)	3.3	41.14.064	41.52.064 41.53.100
		3.8	41.14.065	41.50.065 41.52.065 41.53.100
		4.3	41.14.066	41.50.066 41.52.066 41.53.100
		5.0	41.14.067	41.52.067 41.53.100
External Hex BH	CM - BH EXT Pre-milled CoCr (Desktop or Intraoral)	RP/4.2	41.14.021	41.50.021 41.52.021 41.53.100
BioHorizns®		WP/5.2	41.14.022	41.50.022 41.52.022
Internal Hex USA	CM - MIS SVN Pre-milled CoCr (Desktop or Intraoral)	SP	41.14.095	41.50.017 41.52.017 41.53.100
MIS® Seven		WP	41.14.096	41.50.018 41.52.018 41.53.100
Megagen AntyRidge®	CM - MG Pre-milled CoCr (Desktop or Intraoral)		41.14.057	41.50.057 41.53.100
Dentium Superline™ & Implantium	CM - DT Pre-milled CoCr (Desktop or Intraoral)	RP	41.14.090	41.52.090 41.53.100

 non-engaging

 non-engaging

 Scan Abutment
for desktop scanning
41.50.OXX

 Scan Abutment
for intra-oral scanning
41.52.OXX

 Scan Abutment
on Ti base
41.53.100 41.52.200

All CM products are manufactured according to ISO 9001:2015 and ISO 13485:2016 and are CE marked as applicable.

All CM® AURUMBase® screws and screwdrivers are based on the standard ISO 10664

3i® and 3i Certain®, Miniplant®, MicroMiniplant™ and Osseotite® are registered trademarks of 3i Implant Innovations, USA

ASTRA TECH™, OsseoSpeed™, ANKYLOS® C/X, XiVE®, FRIADENT®, ASTRATECH implant system™ EV and UniAbutment® are registered trademarks of DENTSPLY SIRONA Implants

BioHorizons® is a registered trademark of BioHorizons, INC.

Brånemark System®, NobelReplace® and Replace Select™, NobelActive™, NobelReplace® CC, NobelSpeedy™ and Multi-Unit are registered trademarks of Nobel Biocare AB, Sweden

ITI®, Straumann® and synOcta® are registered trademarks of Straumann Holding AG, Switzerland

MIS® is a registered trademark of MIS Implant Technologies Ltd.

Zimmer Screw-Vent® and SwissPlus® are registered trademarks of Zimmer Dental INC, USA

Dyna® is a registered trademark of Dyna Dental Engineering BV

Locator® is a registered trademark of ZEST IP Holdings

Camlog® and Conelog® are registered trademarks of CAMLOG Biotechnologies AG

Megagen® is a registered trademark of MEGAGEN IMPLANT CO. LTD

TORX® is a trademark of ACUMENT INTELLECTUAL PROPERTIES, LLC

Bego Semados® is a registered trademark of BEGO GmbH & Co. KG

Anthogyr® is a registered trademark of Anthogyr SAS

Medentis ICX® is a registered trademark of medentis medical GmbH

Osstem® is a registered trademark of OSSTEM IMPLANT CO. LTD

Dentium® is a trademark of Dentium Co. Ltd.

GOBALD® is a trademark of Global D SASU.

Biotech Kontakt® is a trademark Biotech Dental SAS.

BTI® is a trademark BTI Biotechnology Institute.

CM products can be used only by licensed dentists, physicians and dental laboratories.

Please always refer to the instructions for use available at www.cmsa.ch/docs or supplied with the product.

Some products may not be available in your country.

Some products are cleared by US FDA and are licensed in Canada.

Please contact your local distributor for more details.